






PATENT























Docket N°: 57.0478 US PCT

Title: METHODS AND APPARATUS FOR THE MEASUREMENT OF HYDROGEN SULPHIDE AND THIOLS IN FLUIDS

April 22, 2005
Date

Schlumberger-Doll Research
36 Old Quarry Road
Ridgefield, Connecticut 06877-4108
(203) 431-5505
Date: APRIL 22, 2005

FORM PTO-1449 (Modified)

LIST OF INFORMATION PROVIDED
BY APPLICANT

(Use several sheets if necessary)

ATTY. DOCKET NO.

57.0478 US PCT

SERIAL NO.

10/522 350

APPLICANTS

Jiang et al

FILING DATE

01/24/05

GROUP

REFERENCE DESIGNATION U.S. PATENT DOCUMENTS

| Examiner Initial | | Document No. | Date | Patentee |
|------------------|----|-----------------|----------|---------------|
| | AA | 3,780,575 | 12/25/73 | Urbanosky |
| | AB | 3,859,851 | 01/14/75 | Urbanosky |
| | AC | 4,994,671 | 02/19/91 | Safinya et al |
| | AD | 2003/0134426 A1 | 07/17/03 | Jiang et al |

FOREIGN PATENT DOCUMENTS

| | | Document No. | Date | Country | Translation | |
|--|----|---------------------|----------|---------|---------------|----|
| | | | | | Yes | No |
| | AE | 1168469 A1 | 12/24/97 | CN | Abstract only | |
| | AF | 44 11 370 A1 | 10/05/95 | DE | Abstract only | |
| | AG | 0 299 779 A2 and A3 | 01/18/89 | EP | | |
| | AH | 2 287 791 A | 09/27/95 | GB | | |
| | AI | 2 359 631 B | 03/06/02 | GB | | |
| | AJ | 1402914 A1 | 06/15/88 | SU | Abstract only | |
| | AK | 01/63094 A1 | 08/30/01 | WO | | |

OTHER INFORMATION PROVIDED (AUTHOR, TITLE, DATE, PLACE OF PUBLICATION, PERTINENT PAGES, ETC.)

| | | |
|--|----|--|
| | AL | Badry et al New wireline formation tester techniques and applications Trans. SPWLA 34th Annual Logging Symposium, Calgary, June 1993, paper ZZ |
| | AM | Fultz et al Mediator compounds for the electrochemical study of biological redox systems: a compilation Analytica Chimica Acta, vol. 140, 1982, pages 1-18 |
| | AN | Jeroschewski et al Galvanic sensor for determination of hydrogen sulfide Electroanalysis, vol. 6, 1994, pages 769-772 |

| | | |
|----------|----|--|
| | AO | Lawrence et al The electrochemical analog of the methylene blue reaction: a novel amperometric approach to the detection of hydrogen sulfide Electroanalysis, vol. 12, no. 18, 2000, pages 1453-1460 |
| | AP | Lawrence et al Detection of sulfite via the trapping and subsequent electrochemical detection of hydrogen sulfide Mikrochim. Acta, vol. 137, 2001, pages 105-110 |
| | AQ | Lawrence et al Electrochemically initiated 1,4-nucleophilic substitutions: a general strategy for the analytical detection of hydrogen sulfide Electroanalysis, vol. 13, no. 6, 2001, pages 432-436 |
| | AR | Lawrence et al Selective determination of thiols: a novel electroanalytical approach Analyst, vol. 125, 2000, pages 661-663 |
| | AS | Lawrence et al Carbon-epoxy electrodes: unambiguous identification of authentic triple-phase (insulator/solution/electrode) processes ChemComm, The Royal Society of Chemistry, 2002, pages 1028-1029 |
| | AT | Rhodes Determination of hydrogen sulfide content in natural gas, evaluation of containers for preparation of calibration standards and sample collection procedure US Department of the Interior, Bureau of Mines, Report of Investigations 8391, Washington, 1979 |
| | AU | Schlumberger Wireline and Testing Sampling Wireline formation testing and sampling, Houston, Texas, 1996, pages 10-1 to 10-25 |
| EXAMINER | | DATE CONSIDERED |

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.

1. The attached cited information should not be construed as an admission that any of the above items are prior art to the subject invention.
2. This is not a representation that a search has been made.